

FT-10D TRAILER • FC-67 CRANE • FG-20 GRAPPLE

FORESTER
FORESTRY EQUIPMENT

Complete Forestry Solution



FORESTER
FORESTRY EQUIPMENT

forester-crane.com

Forged by the North. Easy to Service. Hard to Stop.

+372 5555 7000

Estonia, EU

info@forester.ee

Facebook

YouTube

LinkedIn

FT-10D TRAILER • FC-67 CRANE • FG-20 GRAPPLE

Complete Forestry Solution

FORESTER
FORESTRY EQUIPMENT

Everything you need for professional timber handling.
From Loading to Transport.
One Complete System.

FC-67 FORESTRY CRANE

6.95 m

MAXIMUM OUTREACH

Lightweight and reliable.

FT-10D FORESTRY TRAILER

10000 kg

LOAD CAPACITY

Strong, compact and extendable.

FG-20 LOG GRAPPLE

0.20 m²

gripping area

For logs and timber bundles.



FORESTER
FORESTRY EQUIPMENT

forester-crane.com

Forged by the North. Easy to Service. Hard to Stop.

+372 5555 7000

Estonia, EU

info@forester.ee

Facebook

YouTube

LinkedIn

FT-10D Forestry Trailer

FORESTER
FORESTRY EQUIPMENT

TECHNICAL DATA

Specification	FT-10D
Load capacity	10000 kg
Loading area	2.3 m ²
Loading area length	3925 / 5375 mm
Total length	6140 / 7210 mm
Overall width	2160 mm
Ground clearance	540 mm
Tyre size	400/60-15.5 OR 500/50-17
Frame section	2 x (160 x 80 x 8) mm
Axle section	70 x 70 mm
Number of stake pairs	4/5
Support legs	YES
Frame extension	OPTIONAL
Braking system	Hydraulic OR pneumatic

Dimensions are shown with the frame retracted /extended.


RECOMMENDED WITH

Cranes FC-53 / FC-67L / FC-67

Our trailers are designed for transporting large volumes of timber and other loads across forested and off-road terrain. The FT-10D combines a 10000 kg load capacity with compact dimensions. Support legs create a secure working base during loading and unloading.

Created and manufactured in Estonia using high-strength Swedish Strenx® steel for an efficient balance of strength, durability and weight.

DIMENSION DRAWING

**FORESTER**
FORESTRY EQUIPMENTforester-crane.com

Forged by the North. Easy to Service. Hard to Stop.

+372 5555 7000

Estonia, EU

info@forester.ee

Facebook

YouTube

LinkedIn

FC-67 Forestry Crane

FORESTER
FORESTRY EQUIPMENT



Designed for professional timber loading, the FC-67 combines a 6.95 m maximum outreach and 620 kg lifting capacity at full reach with a crane weight of only 750 kg. Its telescopic boom, 360° slewing system and protected hydraulics provide efficient, controlled operation in everyday forestry work.


TECHNICAL DATA

Specification	FC-67
Capacity at maximum outreach	620 kg
Maximum outreach	6950 mm
Telescopic extension	1348 mm
Gross lifting torque	63 kNm
Slewing torque	11.1 kNm
Slewing angle	360°
Slewing cylinders	4
Operating pressure	175 bar
Number of booms	2
Crane weight	750 kg

RECOMMENDED WITH

Rotators	3 ton / 4.5 ton
Grapples	FG-20
Trailers	FT-8 / FT-9 / FT-10
	FT-10D / FT-10RDM
	FT-12 / FT-12D
	FT-12D 4x4
	FT-16D / FT-20

DIMENSION DRAWING



FORESTER
FORESTRY EQUIPMENT

forester-crane.com

Forged by the North. Easy to Service. Hard to Stop.

+372 5555 7000

Estonia, EU

info@forester.ee

Facebook

YouTube

LinkedIn

FG-20 Log Grapple

FORESTER
FORESTRY EQUIPMENT



0.20 m² GRIPPING AREA

Provides practical capacity for handling individual logs and timber bundles.

1170 mm MAXIMUM OPENING

A wide opening supports efficient collection, loading and stacking of timber.

75 kg GRAPPLE WEIGHT

A compact 75 kg structure provides an efficient balance of gripping capacity and weight.

SERVICE-FRIENDLY DESIGN

Straightforward access simplifies routine maintenance and local repairs.


TECHNICAL DATA

Specification	FG-20
Gripping area	0.20 m ²
Maximum opening	1170 mm
Height when closed	432 mm
Working pressure	175 bar
Grapple weight	75 kg
Maximum permissible load	1100 kg
Height when open	625 mm
Width large claw	348 mm
Width small claw	274 mm
House width	360 mm
Min gripping diameter	95 mm

RECOMMENDED WITH

Rotators	FHR 3L /FHR 4.5LH
Cranes	FC-53/FC-67/FC-67L/FC-7000S/FC-85

DIMENSION DRAWING



PRECISION METALWORKING

CNC cutting, bending, turning and milling support the accurate and consistent production of key components. High-strength Strenx® steel is used where strength and reduced weight matter most.

QUALITY CONTROL

Critical dimensions, assemblies and finished equipment are checked throughout production before delivery.

FORESTER
FORESTRY EQUIPMENT

forester-crane.com

Forged by the North. Easy to Service. Hard to Stop.

+372 5555 7000

Estonia, EU

info@forester.ee

Facebook

YouTube

LinkedIn